

# MedRx<sup>®</sup>

Good Things Come In Small Packages

NEW



## Diagnostic & Hearing Instrument Fitting Technologies **CATALOG**



**NEW** Wireless  
REM Probe Mics  
See pg. 2

**MedRx**<sup>®</sup>

Good Things Come In Small Packages

**MedRx, Inc**

1200 Starkey Rd. #105

Largo, FL 33771 U.S.A.

888-392-1234 • 727-584-9600

Fax: 727-584-9602

Email: [sales@medrx-diagnostics.com](mailto:sales@medrx-diagnostics.com)

[www.medrx-diagnostics.com](http://www.medrx-diagnostics.com)

# Contents

## **NEW MedRx AWRC**

Audiometer & Wireless REM Combination..... 2

## **Studio Software**

9 User-Friendly Modules..... 4

## **AVANT ARC**

Audiometry/REM/LSM Combination ..... 6

## **AVANT A2D+ Audiometer**

Diagnostic Audiometer ..... 8

## **AVANT AIR+ Audiometer**

Screening Audiometer ..... 10

## **MedRx Tinnometer**

Revolutionary Tinnitus Assessment ..... 11

## **AVANT REM Speech+**

REM/LSM System..... 12

## **Ultimate Office+**

A2D+ and REM Speech+ in a Portable Case ..... 14

## **Otowave Tymps**

Hand-Held & Desktop Tympanometers ..... 16

## **AVANT HIT+**

Hearing Instrument Test Chamber..... 18

## **UltraVac+**

Hearing Instrument Vacuum ..... 19

## **Video Otoscope**

USB Powered ..... 20

## **Kiosk**


Stand-Alone Hearing Screening Tablet ..... 22

## **VRA**

Visual Reinforcement Audiometry..... 24



Most MedRx products feature HID (Human Interface Device) technology - choose any USB port and your computer will recognize the device consistently after initial installation



NEW




# MedRx AWRC

## Audiometry & Wireless REM/LSM

*Go Wireless with MedRx*

The MedRx AWRC is a complete dual-channel audiometer and high-frequency wireless REM/LSM system combined for convenient, space-saving testing and fitting





The probe microphone's rechargeable battery provides 6 hours of continuous use.

- Complete Air, Bone, Speech and Masking Audiometry
- Built-In Special Tests, Word Lists and Auto-Scoring
- Audiometry Testing up to 20 kHz with High-Frequency Option
- Wireless, Binaural Live Speech Mapping and Real Ear Measurements
- REM AutoFit Compatible
- Portable and Compact at Only 8" x 5" x 1.25" (L x W x H)
- Noah, TIMS, Blueprint OMS, and Sycle Compatible



Tinnometer Capable. Revolutionary Tinnitus Assessment.


# M STUDIO Software



One Great Software  
for all the MedRx Products


**Studio Software has  
9 User-Friendly Modules**

AUD




Dual Channel Audiometry

REM




Real Ear Measurements

LSM




Live Speech Mapping

HIT



Hearing Instrument Testing

HLS  
MHA




Hearing Loss Simulator  
Master Hearing Aid

VO




Video Otoscopy

VRA



Visual Reinforcement Audiometry

IMP



Tympanometry

TI



Tinnometer




# AVANT ARC

## Audiometry & REM/LSM

***Easy Patient Understanding  
with Visualized Results***

One system to fully test, fit, verify and counsel  
which provides better involvement for the patients  
and 3rd parties







- Complete Air, Bone, Speech and Masking Audiometry
- Built-In Special Tests, Word Lists and Auto-Scoring
- Integrated QuickSIN™
- Binaural Real Ear Measurement and Live Speech Mapping
- REM AutoFit Compatible
- Greater Compliance with Hearing Instrument Recommendations



Tinnometer Capable. Revolutionary Tinnitus Assessment.




# AVANT A2D+

## Versatile Compact Audiometer

*Diagnostic Testing Faster & Easier*

The AVANT A2D+ is approx. 6.5" x 5" x 1.25" (L x W x H) and when combined with a laptop is portable and easily configured for any office layout



- Dual Channel Diagnostic Audiometer
- Complete Air, Bone, Speech and Masking Audiometry
- Built-in Special Tests, Word Lists and Auto-Scoring



Tinnometer Capable. Revolutionary Tinnitus Assessment.



# AVANT AIR+

## *PC-Based Screening Audiometer*



- Air Threshold Testing
- 125 Hz- 8 kHz
- Automated Audiometry
- Approx. 5" x 5" x 1.25"
- PC Based via USB Connection
- Noah, TIMS, Blueprint OMS and Sycle Compatible



Tinnometer Capable. Revolutionary Tinnitus Assessment.



# Tinnometer

*Directly Address Your Patient's Tinnitus Concerns*

## Tinnometer Features

- Quickly Pitch Match
- Testing Up To 16 kHz
- Control the Level, Shape & Frequency
- Test Time Under 10 Minutes
- Customized Stimulus and Reports
- Save and Recall Sessions

## Audiometer Features

- Air Threshold Testing
- 125 Hz- 8 kHz
- Automatic Air Audiometry
- USB Connection to Computer
- Small Footprint  
Approx. 5" x 5" x 1.25"





# AVANT REM Speech+


## Binaural REM/LSM System

***Verified Hearing Aid Fittings  
With Less Return Visits***

In addition to Live Speech Mapping the REM software supports all traditional Real Ear Measurements



- Binaural Real Ear Measurement and Live Speech Mapping System
- The AVANT REM Software includes targets for MSS (Modified Speech Spectrum), DSL v5.0, NAL-NL1 and NAL-NL2
- REM AutoFit Compatible
- HLS (Hearing Loss Simulator) & MHA (Master Hearing Aid) for 3rd Party Demonstration
- Noah, TIMS, Blueprint OMS and Sycle Compatible






## Ultimate Office+

### *The Complete Audiological Suite*

- Perfect for offices with testing & fitting rooms
  - Two devices for Audiometry & REM
  - Fit confidently with MedRx Verification
    - PC-Based Portable Solutions







AVANT A2D+ Audiometer and AVANT REM Speech+  
in a Portable Case



# Otowave Tymps

Hand-Held Tympanometers

***Fast, Accurate, Middle Ear Measurements***



## Otowave 102 Screening Tymp

- Ipsilateral 226 Hz
- Ipsilateral tymp reflexes  
500, 1k, 2k and 4k

## Otowave 202 Screening Tymp *102 Features Plus*

- Contralateral reflexes  
500, 1k, 2k and 4k

## Otowave 202-H Screening Tymp *202 Features Plus*


- High Frequency 1 kHz  
probe tone option




# Otowave Tymps

302/302+ Desktop Tympanometers

***Internal Memory with PC Connectivity***



- 226Hz probe tone or 1000Hz probe tone (302+) with admittance, susceptance and conductance measurements (YBG)
- Live tymp display- measurements shown in real time
- Ipsilateral and contralateral reflex frequencies (0.5, 1000, 2000, & 4000Hz)
- Auto pass/refer evaluation (ear canal volume)
- Six user-configured test protocols (302+)





# AVANT HIT+

## *Hearing Instrument Test Chamber*



- Stand-Alone HIT
- Confirm HA Performance
- RECD Compatible
- Customizable User/Test Protocols
- Performs 10 Automated, Selectable ANSI & IEC Tests






# UltraVac+

*Repair, Restore & Maintain Hearing Aids*

Hearing Instrument Vacuum & Drying Chamber



- Drying Chamber
- Vacuum Wand
- Pressure Wand



# Video Otoscope

## USB Powered

***Show Patients What They Want To See***

Store Images in Noah, retrieve results easily for follow-up visits showing the patients their progress. Ideal Design for Cerumen Management and Probe Tube Placement.



Plug into any USB port on your computer

- Capture, View and Store Digital Images
- Perform an Otoscopic Examination
- View the Probe Microphone Tube in the Ear Canal
- Ideal for Cerumen Management
- Conveniently Shows a List of Captured Pictures, Comments and Previews of the Selected Images
- Noah, TIMS, Blueprint OMS and Sycle Compatible



Gather  
New Leads  
From Your  
Community

# MedRx Kiosk

## Standalone Hearing Screening Tablet

### *Self Screening & Lead Generation*

Extend your clinic's reach by placing your Kiosk in community centers, physician offices, pharmacies & partner locations.





- Unattended Testing
- Each Test Takes Less Than 5 Minutes
- Calibrated Self Screening
- Patients Emailed Results and Your Contact Info
- View Results in Real-Time
- Choose Tablet Only Screeners or Fully Enclosed & Secured Tablet Stands




# VRA Reimagined

A New Form Of Visual Reinforcement Audiometry


***One Device - One Clinician***




- Integrating NAL technology
- iPod Audiometer Control
- iPod Video Reward Control
- Testing with One Clinician
- 52 Animated Videos (Default)  
can add custom videos too




Automatic Test Mode



Manual Test Mode




Conditioning Mode



Video Only Mode

### Four iVRA Modes

A2D+ Audiometer, Stealth Audiometer and ARC compatible



MedRx, Inc. is a U.S. based global manufacturer & developer of advanced computerized diagnostic and hearing instrument fitting technologies, specifically designed for the hearing care professional. MedRx has created a remarkable generation of discreet, yet powerful PC-based instrumentation for Audiometry, Real Ear Measurement, Live Speech Mapping, Tinnitus Assessment, Hearing Instrument Testing & Evaluation, Video Otoscopy and Visual Reinforcement Audiometry (VRA)

**MedRx Minimum Computer Specs:**

Windows® PC compatible computer, Intel™ i5, 2.0 GHz or better. 4 GB RAM. 20 GB free hard drive space. Available 2.0 USB port. Windows 10 or 11 Professional (32 or 64-bit)

**MedRx Recommended Computer Specs:**

Windows® PC computer, Intel™ i5 Quad Core or better. 8 GB RAM or more. Available USB 2.0. Graphics adapter with 2GB dedicated video memory. 50 GB or more free hard drive space. DVD-ROM Drive. High speed internet connection. Windows 10 or 11 Professional 64-bit

**MedRx**®

Good Things Come In Small Packages



**MedRx, Inc**

1200 Starkey Rd. #105

Largo, FL 33771 U.S.A.

888-392-1234 • 727-584-9600

Fax: 727-584-9602

Email: [sales@medrx-diagnostics.com](mailto:sales@medrx-diagnostics.com)

[www.medrx-diagnostics.com](http://www.medrx-diagnostics.com)